

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	663825	(password\$3 passphrase\$1 PIN) ((user\$2 client\$1 person \$3) near3 (code \$1 number\$1 pin password\$1 passphrase\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L2	6244	(generat\$4 creat \$4 determin\$7) near8 ((encrypt \$6 algorithm\$1 encipher\$9 cipher \$9 crypto cryptograph\$6) near4 (version\$1 application\$1 program\$1 routine\$1 software\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L3	9763	(user-specif5 user-base\$1 ((user\$2 client\$1 person\$3) near3 (specif\$5 accord \$4 particular\$2 match\$3 bas \$2))) near9 (password\$3 passphrase\$1 PIN privilege\$1 role\$1 association \$1 rule\$1 (access \$3 near2 control \$1) permission \$1)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04

L4	7828	((726/1) or (726/2) or (726/4) or (726/5) or (726/7) or (726/8) or (726/17) or (726/118) or (726/19) or (726/21) or (726/27) or (726/30) or (726/34) or (713/168) or (713/182) or (713/183) or (713/184) or (713/185) or (713/193) or (705/16) or (705/17) or (705/18) or (380/229) or (380/241) or (380/255) or (380/28) or (380/29)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L5	700	L4 and L2	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L6	138	(password\$3 passphrase\$1 PIN) near8 L2	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L7	363	(password\$3 passphrase\$1 PIN) and L5	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L8	130	L3 and L5	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L9	4999	(password\$3 passphrase\$1 PIN) near9 (encrypt\$6 algorithm\$1 encipher\$9 cipher \$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L10	93	L9 and L8	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L11	49	L10 and hash\$3	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04

L12	586	L4 and ((generat\$4 creat\$4 determin\$7) near5 ((encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6) near4 (version\$1 application\$1 program\$1 routine\$1 software\$1)))	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L13	1328	(password\$3 passphrase\$1 PIN) near8 (specif\$5 accord\$4 particular\$2 match\$3 bas\$2 determin\$4 predetermin\$7 pre-determin\$8 preset\$3 pre-set\$3 appoint\$3 list\$1 version\$1) near8 (encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L14	75	L12 and L13	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L15	46	L14 and hash\$4	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L16	6244	(generat\$4 creat\$4 determin\$7) near8 ((encrypt\$6 algorithm\$1 encipher\$9 cipher\$9 crypto cryptograph\$6) near4 (version\$1 application\$1 program\$1 routine\$1 software\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04

L17	4999	(password\$3 passphrase\$1 PIN) near9 (encrypt\$6 algorithm\$1 encipher\$9 cipher \$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L18	7828	((726/1) or (726/2) or (726/4) or (726/5) or (726/7) or (726/8) or (726/17) or (726/118) or (726/19) or (726/21) or (726/27) or (726/30) or (726/34) or (713/168) or (713/182) or (713/183) or (713/184) or (713/185) or (713/193) or (705/16) or (705/17) or (705/18) or (380/229) or (380/241) or (380/255) or (380/28) or (380/29)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L19	700	L18 and L16	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L20	363	(password\$3 passphrase\$1 PIN) and L19	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04

L21	1328	(password\$3 passphrase\$1 PIN) near8 (specif \$5 accord\$4 particular\$2 match\$3 bas\$2 determin\$4 predetermin\$7 pre-determin\$8 preset\$3 pre-set \$3 appoint\$3 list \$1 version\$1) near8 (encrypt\$6 algorithm\$1 encipher\$9 cipher \$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L22	586	L18 and ((generat \$4 creat\$4 determin\$7) near5 ((encrypt \$6 algorithm\$1 encipher\$9 cipher \$9 crypto cryptograph\$6) near4 (version\$1 application\$1 program\$1 routine\$1 software\$1)))	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L23	75	L22 and L21	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L24	9763	(user-specif5 user-base\$1 ((user\$2 client\$1 person\$3) near3 (specif\$5 accord \$4 particular\$2 match\$3 bas \$2))) near9 (password\$3 passphrase\$1 PIN privilege\$1 role\$1 association \$1 rule\$1 (access \$3 near2 control \$1) permission \$1)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L25	130	L24 and L19	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04

L26	93	L17 and L25	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L27	49	L26 and hash\$3	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L28	46	L23 and hash\$4	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L29	138	(password\$3 passphrase\$1 PIN) near8 L16	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L30	663825	(password\$3 passphrase\$1 PIN) ((user\$2 client\$1 person \$3) near3 (code \$1 number\$1 pin password\$1 passphrase\$1))	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L31	319	(password\$3 passphrase\$1 PIN) with (specif \$5 accord\$4 particular\$2 match\$3 bas\$2 determin\$4 predetermin\$7 pre-determin\$8 preset\$3 pre-set \$3 appoint\$3 base\$1) with (generat\$4 deriv \$4) with (encrypt \$6 algorithm\$1 encipher\$9 cipher \$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L32	204840	(selecti\$6 allow \$3) near4 (user \$1 client\$1 person\$1)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L33	176	L31 and L32	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L34	25598	(specif\$5 version \$1 particular\$2) near4 (encrypt\$6 algorithm\$1 encipher\$9 cipher \$9 crypto cryptograph\$6)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04

L35	97	L33 and L34	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L36	92	L35 and password \$1	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L37	46	L36 and (sha hash\$3)	USPAT; IBM_TDB	OR	OFF	2008/05/16 16:04
L38	4	yeates near3 anthony	USPAT; IBM_TDB	OR	ON	2008/05/16 16:10
L39	0	dournov near3 pavel	USPAT; IBM_TDB	OR	ON	2008/05/16 16:10
L40	0	blackwood near3 kirk	USPAT; IBM_TDB	OR	ON	2008/05/16 16:10

5/ 16/ 08 4:12:38 PM

C:\ Documents and Settings\ LHa\ My Documents\ EAST\ Workspaces\ 10728396.wsp